



FLOW CONVECTION
system

VELA 9 C

POT. TOT. KW
3,4 - 9,1

POT. NOM. KW
3,3 - 8,3



BIANCO
WHITE
BLANC
WEIß


NERO
BLACK
NOIR
SCHWARZ

BORDEAUX
BORDEAUX
BORDEAUX
BORDEAUX

SILVER
SILVER
SILVER
SILVER





CORTEN
CORTEN
CORTEN
CORTEN

100% SAFE
INTELLIGENT
BRAZIER
HERMETIC
SYSTEM



BImSchV2

compliant with
Ecodesign 2022



PELLET

Consumo orario pellet

Pellet fuel consumption for hour
Consommation de granulés par heure
Stündlicher Pelletsverbrauch

kg/h (min/max) 0,71 - 1,87

Rendimento min/max potenza

Efficiency min/max power
Rendement min/max puissance
Wirkungsgrad min/max Leistung

% 95,5 - 90,6

Tubo uscita fumi

Flue exit pipe
Tuyau de sortie des fumées
Abgasrohr

Ø mm 80

Capacità serbatoio

Tank capacity
Capacité du réservoir
Fassungsvermögen Pelletsbehälter

Kg 22

Autonomia

Burn time
Autonomie
Brennzeit

h 12 - 30

Potenza elettrica installata

Installed power
Puissance installée
Leistungsbedarf beim Betrieb

W 26

Peso netto

Net weight
Poids net
Nettogewicht

Kg 190